NEVADA DEPARTMENT OF Parkway, Suite BUSINESS & INDUSTRY Division of Industrial Relations MECHANICAL COMPLIANCE SECTION



Reno, Nevada 89502 Telephone: (775) 688-3750 Insured: (775)688-3750 Fax: (775)688-1664

MCS.Reno@Business.nv.gov

Henderson, Nevada 89074 Telephone: (702) 486-9054 Insured: (702) 486-9053 Fax: (702) 486-9176

MCS.Henderson@Business.nv.gov

ASME 18.1 Platform

Bldg. Name Address:		Address:	<u> </u>	Make:		# of Floors-	State 1	ate No. NV	
Type of I	Lift:				<u>"</u>		- 11	<u> </u>	
				Pass Fail N/A	A				Pass Fail N/A
0.2.2.1 INSIDE PLATFORM INSPECTIONS						SIDE RUNWA			
Stop Switches						Overhead/Defle			
Operating Control Devices Floor and Landing Sill						Ferminal Stoppi minal Stopping			
Lighting									
Emergency Signal					d. Broken Rope, Chain, or Tape Switch e. Counterweight				
Door or Gate					f. Head Ro				
. Enclosure					g. Slack Rope Devices				
. Floor					h. Traveling Sheave				
Signs and Operating Device Symbols					2				
Rated Load / Platform FL Area / Data Plate Ride					•				
2.2.2 MACHINE INSPECTIONS					k. Pipes, Wiring, & Ductsl. Runway Clearances				
Enclosure of Machine Space					m. Traveling Cables & Junction Boxes				
Guarding of Exposed Aux Eq					5 0 0 1				
Overhead Beam & Fastenings					DI 16 E				
. Drive Machine Brake									
. Traction Drive Machines					q. Governo				
. Gears and Bearings					r. Governo				
. Winding Drum Machine									
Belt or Chain Drive Machine									
Traction Sheaves Secondary & Deflector Sheaves									
Rope Fastenings				10.2.2.4 OUTSIDE RUNWAY INSPECTIONS					
Slack Rope Devices				a. Runway Doors b. Runway Door Locking Devices					
n. Governor, Overspeed Device & Seal					c. Runway Enclosure				
. Platform Safeties									
. Hydraulic Power Unit									
. Control Valves . Hydraulic Cylinders									
. Trydraund	Cymiders								
			ne (1) Year Inspe	ction and Te					
10.3.1.1		Cylinders				Pass	☐ Fail	□ N/A	
10.3.1.2		Safeties (tested with no load)				Pass	□ Fail	□ N/A	
10.3.1.3 Governors					Pass	□ Fail	□ N/A		
10.3.1.4	3.1.4 Slack Rope Devices on Winding Drum M		n Winding Drum Mac	hines		Pass	□ Fail	□ N/A	
10.3.1.5 Normal and fi		Normal and final Ter	minal Stopping Device		Pass	□ Fail	□ N/A		
10.3.1.6		Broken Rope, Chain,	or Chain Switch			Pass	□ Fail	□ N/A	
10.3.1.7		Slack-Rope Device on	Roped Hydraulic			Pass	□ Fail	□ N/A	
			Five (5) Year Ir	spection ar	nd Test. Sect	ion 10.3.3	1		
10.3.3.1 Platform Safeties, rated load				ropeotron ar		Pass	□ Fail	□ N/A	1
10.0.011	Type =	i buicties, ruteu touu				Luss		_ 17/11	
10.3.3.2					Pass	□ Fail	□ N/A		
10.3.3.3						Pass	☐ Fail	□ N/A	
10.3.3.4 Ropes					Pass	□ Fail	□ N/A		
10.3.3.5 Fastenings						Pass	□ Fail	□ N/A	
Is test sa		ry and in accordan			n 🗌 Yes 🗀	□ No □ N/A			
			ne above test were pe	erformed in cor	npliance with A	SME A18.1-20	011		
Firm Performing Test					Date of Test	Inspection			
Print Name, License No. and Signature of Person Performing Test					Print Name I	icense No. at	nd Signature of Perso	on Witnessir	ng Test/Inspection
Time rame, Decense two and dignature of reison refronting 16st					1 1111t 1 tallic, I	10. a	5151141410 01 1 0150	,,10103311	-5 1000 mopeetion

1 of 1 4/15/2016